



# GREEN POWER CHEMICAL 2016 Distributor Price List



Phone: (800) 932-9371 • Fax: (973) 770-1158  
<http://www.greenpowerchemical.com>

# TABLE OF CONTENTS

**Top Load Machines** ..... 3-4

**Top Load Accessories**..... 5

**Front Load Machines** ..... 6-8

**Front Load Accessories** ..... 9

**Parts List**..... 10-11

**Detergents**..... 12

**Specials** ..... 13-15



## Authorized Distributors

### Three Convenient Ways to Place Your Order



**ON LINE & EMAIL**  
[sales@greenpowerchemical.com](mailto:sales@greenpowerchemical.com)



**FAX**  
**(973) 770-1158**

Clearly note the product number.

**PHONE** :800-932-9371

GREEN POWER CHEMICAL encourages all distributors & customers to review their order confirmations for accuracy through email notification or our FAX number: 973-770-1158.

**GREENPOWERCHEMICAL.COM (800) 932-9371**

Co-branded Distributors (Hotsy, Landa Kärcher Group, or Karcher) orders can be placed along with co-branded orders as usual.

TOP-LOAD

TL OPTIONS

FRONT-LOAD

FL OPTIONS

PARTS

DETERGENTS

SPECIALS

### Choose from Four Series of TOP-LOAD Automatic Parts Washers

	2412 SERIES	2216 SERIES	SJ SERIES	2518 SERIES
<b>Working Height</b>	12"	16"	18"	18"
<b>Turntable Diameter</b>	24"	22"	32" x 21"	25"
<b>Load Capacity*</b>	250 lbs	500 lbs	350 lbs	500 lbs
<b>Dimensions:</b>	45"h x 35"w x 41"d	52"h x 32"w x 42"d	49"h x 48"w x 51"d	50"h x 40"w x 51"d

\*Load capacity was determined with even weight distribution.



TOP-LOAD

TL OPTIONS

FRONT-LOAD

FL OPTIONS

PARTS

DETERGENTS

SPECIALS

## 2412 SERIES



The 2412 Series is an attractive entry-level top-load aqueous parts washer. While boasting Cuda Series durability, it has a 1/2 HP mechanical seal with flush tube style pump and an upper drive arm that rotates the turntable. The 115V models make the 2412 especially versatile for use anywhere in the shop.

MODEL	ORDER NUMBER	WORKING HEIGHT	TURNTABLE DIAMETER	VOLT/PH	TOTAL AMPS	ELECTRIC HEATER (kW)	SHIP WT (LBS)	LIST PRICE
<b>STANDARD Models</b>								
2412	1.043-356.0	12"	24"	115/1	13	1.8	424	\$5,870
2412	1.043-379.0	12"	24"	208/1	26	4.5	424	\$6,140
2412	1.043-357.0	12"	24"	230/1	24	4.5	424	\$6,140
<b>STAINLESS STEEL Models</b>								
2412	1.043-536.0	12"	24"	115/1	13	1.8	424	\$8,290
2412	1.043-537.0	12"	24"	208/1	26	4.5	424	\$8,680
2412	1.043-538.0	12"	24"	230/1	24	4.5	424	\$8,680

NOTE: All stainless steel models come with standard cast pump. All wetted surfaces are stainless steel.

■ Close Coupled Sealed Pump

- 1/2 HP
- 20 GPM
- 22 PSI

■ 250 Lbs. Load Capacity\*

- 25 Gal. Sump Capacity
- 4.5 kW Heater / 1.8 kW Heater for 115V model

■ Automatic Oil Skimmer standard

- Low Water Shutdown standard
- Casters come standard

Machine: 41"L x 35"W x 45"H  
Shipping: 55"L x 48"W x 58"H

\*Load capacity was determined with even weight distribution.

## 2216 SERIES



The 2216 Series is a compact top-load automatic, aqueous parts washer with 22" turntable and 16" work height that fits most commercial applications. It features a 1 HP mechanical seal with flush tube style pump.

MODEL	ORDER NUMBER	WORKING HEIGHT	TURNTABLE DIAMETER	VOLT/PH	TOTAL AMPS	ELECTRIC HEATER (kW)	SHIP WT (LBS)	LIST PRICE
<b>STANDARD Models</b>								
2216	1.043-451.0	16"	22"	115/1	15	2	616	\$6,680
2216	1.043-452.0	16"	22"	230/1	28	4.5	616	\$6,680
2216	1.043-453.0	16"	22"	208/1	30	4.5	616	\$6,680
2216	1.043-454.0	16"	22"	230/3	20	6	616	\$7,070
2216	1.043-455.0	16"	22"	460/3	10	6	616	\$7,350
2216	1.043-456.0	16"	22"	575/3	8	6	616	\$8,100
2216	1.043-457.0	16"	22"	208/3	21	6	616	\$7,290
<b>STAINLESS STEEL Models</b>								
2216	1.043-528.0	16"	22"	115/1	15	2	616	\$9,850
2216	1.043-529.0	16"	22"	230/1	28	4.5	616	\$9,850
2216	1.043-530.0	16"	22"	208/1	30	4.5	616	\$9,950
2216	1.043-531.0	16"	22"	230/3	20	6	616	\$9,850
2216	1.043-532.0	16"	22"	460/3	10	6	616	\$9,850
2216	1.043-539.0	16"	22"	575/3	8	6	616	\$10,880
2216	1.043-534.0	16"	22"	208/3	21	6	616	\$9,950

NOTE: All stainless steel models come with standard cast pump. All wetted surfaces are stainless steel.

■ Close Coupled Sealed Pump

- 1 HP
- 28 GPM
- 30 PSI

■ 500 Lbs. Load Capacity\*

- 23 Gal. Sump Capacity

■ Automatic Oil Skimmer standard

- Low Water Shutdown standard
- Casters come standard

Machine: 42"L x 32"W x 52"H  
Shipping: 54"L x 48"W x 59"H

\*Load capacity was determined with even weight distribution.

TOP-LOAD

TL OPTIONS

FRONT-LOAD

FL OPTIONS

PARTS

DETERGENTS

SPECIALS



**SJ**  
**SERIES**

The **SJ-15 Series** uses patented spray wash technology, which eliminates the need for drive motor, gears, pulleys, etc. Using a water-propelled spray arm with 23 nozzles that spins around a stationary parts basket, parts are hit from every angle and are never more than 18 inches from the spray nozzle, creating a surround cleaning effect. A brush brake assembly automatically turns off pump and immediately stops the rotating spray arm when lid is opened to protect operator from hot-water spray.

MODEL	ORDER NUMBER	WORKING HEIGHT	BASKET DIMENSION	VOLT/PH	TOTAL AMPS	SHIP WT (LBS)	LIST PRICE
<b>STANDARD Models</b>							
<b>SJ-15</b>	<b>1.043-458.0</b>	18"	32" x 21"	230/1	38	1035	<b>\$9,930</b>
<b>SJ-15</b>	<b>1.043-459.0</b>	18"	32" x 21"	230/3	23	1035	<b>\$10,070</b>
<b>SJ-15</b>	<b>1.043-460.0</b>	18"	32" x 21"	460/3	11	1035	<b>\$10,070</b>
<b>SJ-15</b>	<b>1.043-461.0</b>	18"	32" x 21"	575/3	9	1035	<b>\$11,300</b>
<b>SJ-15</b>	<b>1.043-462.0</b>	18"	32" x 21"	208/1	40	1035	<b>\$10,040</b>
<b>SJ-15</b>	<b>1.043-463.0</b>	18"	32" x 21"	208/3	24	1035	<b>\$10,040</b>

**NOTE:** Available in stainless steel through Specials Request Form online at [Distributor.CudaUSA.com](http://Distributor.CudaUSA.com).

- Vertical / Seal-less Pump
  - 3 HP
  - 50 GPM
  - 45 PSI

- 350 Lbs. Load Capacity\*
- 90 Gal. Sump Capacity
- 6.0 kW Heater

- Automatic Oil Skimmer standard
- Low Water Shutdown standard
- Heater Timer (7 day / 24 hour) standard

Machine: 51"L x 48"W x 49"H  
Shipping: 72"L x 65"W x 59"H

\*Load capacity was determined with even weight distribution.



**2518**  
**SERIES**

*Shown with options*

The **2518 Series** is at the top of our line with ruggedness and automation throughout. It comes standard with a time-tested chain drive assembly, virtually maintenance-free vertical seal-less pump, and disc oil skimmer that can be automated for convenience in disposing of oil. Extra-easy access to the sump and removable debris screen set it apart from other top-loaders on the market.

MODEL	ORDER NUMBER	WORKING HEIGHT	TURNTABLE DIAMETER	VOLT/PH	TOTAL AMPS	SHIP WT (LBS)	LIST PRICE
<b>STANDARD Models</b>							
<b>2518</b>	<b>1.043-342.0</b>	18"	25"	230/1	38	869	<b>\$9,020</b>
<b>2518</b>	<b>1.043-380.0</b>	18"	25"	208/1	40	869	<b>\$8,990</b>
<b>2518</b>	<b>1.043-343.0</b>	18"	25"	230/3	23	869	<b>\$9,590</b>
<b>2518</b>	<b>1.043-381.0</b>	18"	25"	208/3	24	869	<b>\$9,580</b>
<b>2518</b>	<b>1.043-344.0</b>	18"	25"	460/3	11	869	<b>\$9,590</b>
<b>2518</b>	<b>1.043-345.0</b>	18"	25"	575/3	9	869	<b>\$10,840</b>

<b>STAINLESS STEEL Models</b>							
<b>2518</b>	<b>1.043-508.0</b>	18"	25"	230/1	38	869	<b>\$12,570</b>
<b>2518</b>	<b>1.043-512.0</b>	18"	25"	208/1	40	869	<b>\$12,530</b>
<b>2518</b>	<b>1.043-509.0</b>	18"	25"	230/3	23	869	<b>\$13,370</b>
<b>2518</b>	<b>1.043-514.0</b>	18"	25"	208/3	24	869	<b>\$13,340</b>
<b>2518</b>	<b>1.043-510.0</b>	18"	25"	460/3	11	869	<b>\$13,370</b>
<b>2518</b>	<b>1.043-511.0</b>	18"	25"	575/3	9	869	<b>\$15,100</b>

**NOTE:** All stainless steel models come with standard cast pump. All wetted surfaces are stainless steel.

- Vertical / Seal-less Pump
  - 3 HP
  - 50 GPM
  - 45 PSI

- 500 Lbs. Load Capacity\*
- 50 Gal. Sump Capacity
- 6.0 kW Heater

- Automatic Oil Skimmer standard
- Low Water Shutdown standard

Machine: 51"L x 40"W x 50"H  
Shipping: 66"L x 57"W x 59"H

\*Load capacity was determined with even weight distribution.

### Cuda Offers a Full Range of Accessories to Enhance Your Top-Load Automatic Aqueous Parts Washer

As with all Cuda parts washers, the top-load models have a wide selection of accessories and upgrades for accommodating special applications or enhancing the operation and maintenance of your top-load parts washer. Stainless Steel can be ordered through Specials Department.

PART #	DESCRIPTION	LIST PRICE	2216	2412	SJ-15	2518
<b>AUTOMATIC WATER FILL – Field Installed Only</b>						
8.725-262.0	Automatic Water Fill	\$289	■			
8.725-261.0	Automatic Water Fill	\$289		■		■
8.725-284.0	Automatic Water Fill	\$290			■	
<b>CONTAINMENT RINGS – Field Installed Only</b>						
8.705-955.0	Containment Ring, 22"	\$69	■			
8.705-962.0	Containment Ring, 24"	\$82		■		
8.731-256.0	Containment Ring, 25"	\$91				■
<b>STAINLESS STEEL PUMPS – All are FACTORY Installed</b>						
8.923-180.0	Stainless Steel Pump, 3HP 208-230V 1PH	\$3,895				■
8.923-181.0	Stainless Steel Pump, 3HP 208-230/460V 3PH	\$3,345				■
8.923-183.0	Stainless Steel Pump, 1HP 115-230V 1PH	\$2,745	■			
8.923-184.0	Stainless Steel Pump, 1/2HP 115-230V 1PH	\$1,675		■		
Note: Stainless Steel Pump option requires matching HP/V/PH to Standard Cast Pump - please consider when placing orders						
<b>DETAIL &amp; POWER BRUSH – Field Installed Only</b>						
8.725-244.0	Deluxe Kit: Detail and Power Brush	\$741	■			
8.725-245.0	Deluxe Kit: Detail and Power Brush	\$753		■		
8.725-246.0	Deluxe Kit: Detail and Power Brush	\$746				■
8.725-250.0	Detail Brush (with pump)	\$480	■			
8.725-251.0	Detail Brush (with pump)	\$526		■		
8.725-252.0	Detail Brush (with pump)	\$527				■
8.725-258.0	Power Brush (pneumatic)	\$310	■	■		■
8.725-276.0	Power Brush (pneumatic)	\$352			■	
8.725-278.0	Detail Brush (with pump)	\$530			■	
<b>PREFERRED OPTIONS PACKAGES – Field Installed Only</b>						
8.725-259.0	Preferred Options Package (Parts Basket, Containment Ring, Oil Container)	\$195	■			
8.725-270.0	Preferred Options Package (Parts Basket, Containment Ring, Oil Container)	\$208		■		
8.725-260.0	Preferred Options Package (Parts Basket, Containment Ring, Oil Container)	\$216				■
<b>OIL DRAIN CONTAINERS – Field Installed Only</b>						
8.924-172.0	Oil Drain Container	\$65	■	■	■	■
<b>FILTRATION SYSTEMS – Field Installed Only - Factory Install available through Specials Department</b>						
8.725-269.0	Filtration	\$1,209	■	■		
8.725-253.0	Filtration	\$2,774				■
8.725-254.0	Filtration & Sump Sweep	\$3,379				■
<b>DEBRIS SCREEN INSERTS – Field Installed Only</b>						
8.725-255.0	Insert, 60 Mesh for Debris Screen Tray	\$156	■			
8.915-143.0	Insert, 60 Mesh for Debris Screen Tray	\$141		■		
8.915-316.0	Insert, 60 Mesh for Debris Screen Tray	\$143				■
<b>TIMERS – Field Installed Only</b>						
8.725-266.0	Timer, Heater, 24 hour 7 day (230V only)	\$378		■		
8.725-267.0	Timer, Heater, 24 hour 7 day	\$383	■			■
8.916-117.0	Timer, Heater & Skimmer, 24 hour 7 day	\$664		■		
8.725-268.0	Timer, Heater & Skimmer, 24 hour 7 day	\$671	■			■
8.725-283.0	Timer, Skimmer, 24 hour 7 day	\$105			■	
<b>MISCELLANEOUS – Field Installed Only</b>						
9.802-283.0	Hour Meter	\$46	■	■	■	■
8.731-254.0	Small Parts Basket (8"x 8"x 4")	\$86	■	■	■	■
8.753-825.0	Large Parts Basket (16"x 12"x 6")	\$137	■	■	■	■
Special Order	Replacement Lid for Small Parts Basket (8"x 8"x 4")	\$23	■	■	■	■
8.915-585.0	PK-100D Sump Cleaner	\$4,041		■	■	■
8.709-145.0	PK-100D Filter Bag	\$24		■		■
8.707-034.0*	Evaporator Belt, Wastewater Drum (FOB Arkansas)	\$1,392	■	■	■	■
8.725-280.0	Caster Wheels, Set of 4	\$174			■	
9.804-631.0	Pressure Gauge	\$48			■	
8.712-156.0	Temperature Gauge	\$67			■	
8.725-281.0	Service Tray	\$108			■	
8.725-282.0	Tool Basket with Tools (includes 3 brushes, 1 scraper)	\$165			■	
8.723-214.0	Paint, Spray, APW Gray (FOB Arkansas, cannot ship air)	\$35	■	■	■	■

\*NOTE: Cuda Dealer Discount on Evaporator Belt PN 8.707-034.0 is 30%.



Detail Brush



Power Brush with steel bristles



24 Hr-7 Day-Dual- & Single-Stage Timers



Automatic Oil Skimmer & Container



Small Parts Basket & Containment Ring

TOP-LOAD

TL OPTIONS

FRONT-LOAD

FL OPTIONS

PARTS

DETERGENTS

SPECIALS

TOP-LOAD

TL OPTIONS

FRONT-LOAD

FL OPTIONS

PARTS

DETERGENTS

SPECIALS

# Choose from Seven Series of FRONT-LOAD Automatic Parts Washers

	2530 SERIES	2840 SERIES	2848 SERIES	3648 SERIES	4860 SERIES	7248 SERIES	7272 SERIES
<b>Working Height</b>	30"	40"	48"	48"	60"	48"	72"
<b>Turntable Diameter</b>	25"	28"	28"	36"	48"	72"	72"
<b>Turntable Load Cap*</b>	500 lbs	1000 lbs	1000 lbs	2500 lbs	5000 lbs	5000 lbs	5000 lbs
<b>Dimensions (L x W x H)</b>	45" x 48" x 74"	50" x 51" x 80"	50" x 51" x 88"	49" x 57" x 94"	66" x 75" x 106"	100" x 85" x 100"	100" x 85" x 126"

\*Load capacity was determined with even weight distribution.

## 2530 SERIES



- Vertical / Seal-less Pump
  - 3 HP
  - 50 GPM
  - 45 PSI
- 500 Lbs. Load Capacity\*
- 40 Gal. Sump Capacity
- 6 kW Heater
- Automatic Oil Skimmer standard
- Low Water Shutdown standard

*Shown with options*

\*Load capacity was determined with even weight distribution.

Machine: 48"L x 45"W x 74"H;  
Shipping: 66"L x 57"W x 79"H

MODEL	ORDER NUMBER	WORKING HEIGHT	TURNTABLE DIAMETER	VOLT/PH	TOTAL AMPS	SHIP WT (LBS)	LIST PRICE
<b>STANDARD Models</b>							
2530	1.043-372.0	30"	25"	230/1	38	985	<b>\$10,280</b>
2530	1.043-368.0	30"	25"	208/1	40	985	<b>\$10,340</b>
2530	1.043-365.0	30"	25"	230/3	23	985	<b>\$10,960</b>
2530	1.043-369.0	30"	25"	208/3	24	985	<b>\$11,200</b>
2530	1.043-366.0	30"	25"	460/3	11	985	<b>\$10,960</b>
2530	1.043-367.0	30"	25"	575/3	9	985	<b>\$12,060</b>
<b>STAINLESS STEEL Models</b>							
2530	1.043-491.0	30"	25"	230/1	38	985	<b>\$14,050</b>
2530	1.043-489.0	30"	25"	208/1	40	985	<b>\$14,130</b>
2530	1.043-486.0	30"	25"	230/3	23	985	<b>\$14,980</b>
2530	1.043-490.0	30"	25"	208/3	24	985	<b>\$15,310</b>
2530	1.043-487.0	30"	25"	460/3	11	985	<b>\$14,980</b>
2530	1.043-488.0	30"	25"	575/3	9	985	<b>\$16,480</b>

**NOTE:**All stainless steel models come with standard cast pump. All wetted surfaces are stainless steel.

## 2840 SERIES



- Vertical / Seal-less Pump
  - 3 HP
  - 50 GPM
  - 45 PSI
- 1000 Lbs. Load Capacity\*
- 50 Gal. Sump Capacity
- 6 kW Heater
- Automatic Oil Skimmer standard
- Low Water Shutdown standard

*Shown with options*

\*Load capacity was determined with even weight distribution.

Machine: 51"L x 50"W x 80"H;  
Shipping: 66"L x 57"W x 95"H

MODEL	ORDER NUMBER	WORKING HEIGHT	TURNTABLE DIAMETER	VOLT/PH	TOTAL AMPS	SHIP WT (LBS)	LIST PRICE
<b>STANDARD Models</b>							
2840	1.043-395.0	40"	28"	230/1	38	1100	<b>\$12,070</b>
2840	1.043-416.0	40"	28"	208/1	40	1100	<b>\$12,070</b>
2840	1.043-418.0	40"	28"	230/3	23	1100	<b>\$12,720</b>
2840	1.043-417.0	40"	28"	208/3	24	1100	<b>\$12,720</b>
2840	1.043-419.0	40"	28"	460/3	11	1100	<b>\$12,720</b>
2840	1.043-420.0	40"	28"	575/3	9	1100	<b>\$13,640</b>
<b>STAINLESS STEEL Models</b>							
2840	1.043-492.0	40"	28"	230/1	38	1100	<b>\$15,950</b>
2840	1.043-493.0	40"	28"	208/1	40	1100	<b>\$15,950</b>
2840	1.043-498.0	40"	28"	230/3	23	1100	<b>\$16,780</b>
2840	1.043-494.0	40"	28"	208/3	24	1100	<b>\$16,780</b>
2840	1.043-496.0	40"	28"	460/3	11	1100	<b>\$16,780</b>
2840	1.043-497.0	40"	28"	575/3	9	1100	<b>\$18,240</b>

**NOTE:**All stainless steel models come with standard cast pump. All wetted surfaces are stainless steel.

### 2848 SERIES

- Vertical / Seal-less Pump
  - 5 HP
  - 110 GPM
  - 50 PSI
- 1000 Lbs. Load Capacity\*
- 50 Gal. Sump Capacity
- 9 kW Heater
- Automatic Oil Skimmer standard
- Low Water Shutdown standard
- Optional 12" Height Extension



Shown with options

\*Load capacity was determined with even weight distribution.

Machine: 51"L x 50"W x 88"H;  
Shipping: 66"L x 57"W x 95"H

MODEL	ORDER NUMBER	WORKING HEIGHT	TURNTABLE DIAMETER	VOLT/PH	TOTAL AMPS	SHIP WT (LBS)	LIST PRICE
<b>STANDARD Models</b>							
2848	1.043-421.0*	48"	28"	208/1	60	1065	<b>\$14,220</b>
2848	1.043-422.0	48"	28"	230/1	58	1065	<b>\$14,890</b>
2848	1.043-394.0	48"	28"	230/3	36	1065	<b>\$14,240</b>
2848	1.043-423.0	48"	28"	208/3	37	1065	<b>\$14,270</b>
2848	1.043-424.0	48"	28"	460/3	17	1065	<b>\$14,270</b>
2848	1.043-425.0	48"	28"	575/3	14	1065	<b>\$15,410</b>
<b>STAINLESS STEEL Models</b>							
2848	1.043-481.0	48"	28"	208/1	60	1065	<b>\$18,960</b>
2848	1.043-482.0	48"	28"	230/1	58	1065	<b>\$19,850</b>
2848	1.043-480.0	48"	28"	230/3	36	1065	<b>\$18,980</b>
2848	1.043-483.0	48"	28"	208/3	37	1065	<b>\$19,030</b>
2848	1.043-484.0	48"	28"	460/3	17	1065	<b>\$19,030</b>
2848	1.043-485.0	48"	28"	575/3	14	1065	<b>\$20,550</b>

**NOTE:** All stainless steel models come with standard cast pump. All wetted surfaces are stainless steel.

\* Longer lead time may apply.

### 3648 SERIES

- Vertical / Seal-less Pump
  - 7.5 HP
  - 150 GPM
  - 50 PSI
- 2500 Lbs. Load Capacity\*
- 113 Gal. Sump Capacity
- 18 kW Heater
- Automatic Oil Skimmer standard
- Low Water Shutdown standard



\*Load capacity was determined with even weight distribution.

Machine: 57"L x 49"W x 94"H;  
Shipping: 63"L x 76"W x 100"H

MODEL	ORDER NUMBER	WORKING HEIGHT	TURNTABLE DIAMETER	VOLT/PH	TOTAL AMPS	SHIP WT (LBS)	LIST PRICE
<b>STANDARD Models</b>							
3648	1.043-477.0	48"	36"	230/3	58	1770	<b>\$19,950</b>
3648	1.043-478.0	48"	36"	460/3	32	1770	<b>\$19,950</b>
3648	1.043-479.0	48"	36"	575/3	26	1770	<b>\$19,950</b>
<b>STAINLESS STEEL Models</b>							
3648	1.043-507.0	48"	36"	230/3	58	1770	<b>\$28,950</b>
3648	1.043-506.0	48"	36"	460/3	32	1770	<b>\$28,950</b>
3648	1.043-505.0	48"	36"	575/3	26	1770	<b>\$28,950</b>

**NOTE:** All stainless steel models come with standard cast pump. All wetted surfaces are stainless steel.

### 4860 SERIES

- Vertical / Seal-less Pump
  - 7.5 HP
  - 200 GPM
  - 50 PSI
- 5,000 Lbs. Load Capacity\*
- 156 Gal. Sump Capacity
- 18 kW Heater
- Automatic Oil Skimmer standard
- Low Water Shutdown standard
- Optional 12" Height Extension



\*Load capacity was determined with even weight distribution.

Machine: 75"L x 66"W x 106"H;  
Shipping: 78"L x 66"W x 104"H

MODEL	ORDER NUMBER	WORKING HEIGHT	TURNTABLE DIAMETER	VOLT/PH	TOTAL AMPS	SHIP WT (LBS)	LIST PRICE
<b>STANDARD Models</b>							
4860	1.043-444.0	60"	48"	230/3	67	2457	<b>\$35,520</b>
4860	1.043-445.0	60"	48"	460/3	32	2457	<b>\$35,520</b>
4860	1.043-446.0	60"	48"	575/3	26	2457	<b>\$35,940</b>

**NOTE:** Standard 4860s ship by flatbed under the free freight program and require additional contact name and telephone number of the recipient.

TOP-LOAD

TL OPTIONS

FRONT-LOAD

FL OPTIONS

PARTS

DETERGENTS

SPECIALS

TOP-LOAD  
TL OPTIONS  
FRONT-LOAD  
FL OPTIONS  
PARTS  
DETERGENTS  
SPECIALS

**7248**  
**SERIES**



Approx. scale to 7248 model

MODEL	ORDER NUMBER	WORKING HEIGHT	TURNTABLE DIAMETER	VOLT/PH	TOTAL AMPS	SHIP WT (LBS)	LIST PRICE
<b>STANDARD Models</b>							
<b>7248</b>	<b>1.043-516.0</b>	48"	72"	230/3	60	3200	<b>\$69,530</b>
<b>7248</b>	<b>1.043-517.0</b>	48"	72"	460/3	60	3200	<b>\$69,530</b>
<b>7248</b>	<b>1.043-518.0</b>	48"	72"	575/3	60	3200	<b>\$69,530</b>

- Vertical / Seal-less Pump
  - 7.5 HP
  - 160 GPM
  - 45 PSI
- 5000 Lbs. Load Capacity\*
- 200 Gal. Sump Capacity
- (2) 9 kW Heaters
- Automatic Oil Skimmer standard
- Low Water Shutdown standard
- Roll-In Door
- Push Button Table Jog
- Vertical/Seal-less submerged pumps
- Low Water Shutdown
- Automatic Oil Skimmer
- Rear Forklift Extension Pockets protect electrical equipment
- Stainless Steel Sump Access Door
- Ships with Operator's Manual & (1) 16-oz Detergent Scoop (8.712-896.0)
- Shrink wrapped & shipped on flatbed truck.
- Allow additional transit time
- Not covered under Free Freight program

Machine: 100"L x 85"W x 100"H

\*Load capacity was determined with even weight distribution.

**7272**  
**SERIES**



Approx. scale to 7272 model

MODEL	ORDER NUMBER	WORKING HEIGHT	TURNTABLE DIAMETER	VOLT/PH	TOTAL AMPS	SHIP WT (LBS)	LIST PRICE
<b>STANDARD Models</b>							
<b>7272</b>	<b>1.043-519.0</b>	72"	72"	230/3	60	4000	<b>\$82,500</b>
<b>7272</b>	<b>1.043-520.0</b>	72"	72"	460/3	32	4000	<b>\$82,500</b>
<b>7272</b>	<b>1.043-521.0</b>	72"	72"	575/3	26	4000	<b>\$82,500</b>

- Vertical / Seal-less Pump
  - 7.5 HP
  - 180 GPM
  - 40 PSI
- 5,000 Lbs. Load Capacity\*
- 160 Gal. Sump Capacity
- (2) 9 kW Heater
- Automatic Oil Skimmer standard
- Low Water Shutdown standard
- Roll-In Door
- Push Button Table Jog
- Vertical/Seal-less submerged pumps
- Low Water Shutdown
- Automatic Oil Skimmer
- Rear Forklift Extension Pockets protect electrical equipment
- Stainless Steel Sump Access Door
- Ships with Operator's Manual & (1) 16-oz Detergent Scoop (8.712-896.0)
- Shrink wrapped & shipped on flatbed truck.
- Allow additional transit time
- Not covered under Free Freight program

Machine: 100"L x 85"W x 126"H

\*Load capacity was determined with even weight distribution.



### Optimize your Front-Load Parts Washer Performance with these Accessories

PART #	DESCRIPTION	LIST PRICE	2530	2840	2848	3648	4860	7248	7272
<b>AUTOMATIC WATER FILL – Field Installed Only</b>									
8.915-113.0	Automatic Water Fill	\$295	■	■	■				
8.749-394.0	Automatic Water Fill	\$303				■	■	■	■
<b>CONTAINMENT RINGS – Field Installed Only</b>									
8.731-256.0	Containment Ring, 25"	\$91	■						
8.705-957.0	Containment Ring, 28"	\$96		■	■				
8.753-767.0	Containment Ring, 36"	\$97				■			
8.749-392.0	Containment Ring, 48"	\$121					■		
8.923-103.0	Containment Ring, 72"	\$170						■	■
<b>FILTRATION SYSTEMS – Field Installed Only - Factory Install available through Specials Department</b>									
8.915-145.0	Filtration	\$2,529	■						
8.915-144.0	Filtration & Sump Sweep	\$3,079	■						
8.915-378.0	Filtration	\$2,529		■	■				
8.915-379.0	Filtration & Sump Sweep	\$3,064		■	■				
8.921-972.0	Filtration, 2 Stage	\$4,754				■		■	■
8.921-973.0	Filtration & Sump Sweep, 2 Stage	\$6,621				■			
8.916-341.0	Filtration, 2 Stage	\$4,754					■		
8.916-342.0	Filtration & Sump Sweep, 2 Stage	\$6,621					■		
8.923-102.0	Filtration & Sump Sweep	Call for pricing						■	■
<b>HEIGHT EXTENSIONS – All are FACTORY Installed</b>									
8.916-365.0	Height Extension, 12"	\$2,495					■		
8.916-114.0	Height Extension, 12"	\$1,950			■				
<b>STAINLESS STEEL PUMPS – All are FACTORY Installed</b>									
8.923-180.0	Stainless Steel Pump, 3HP 208-230V 1PH	\$3,895	■	■					
8.923-181.0	Stainless Steel Pump, 3HP 208-230/460V 3PH	\$3,345	■	■					
8.923-182.0	Stainless Steel Pump, 7.5HP 230/460V 3PH	\$4,875				■			
8.923-187.0	Stainless Steel Pump, 5HP 230V 1PH	\$5,590			■				
8.923-188.0	Stainless Steel Pump, 5HP 208-230/460V 3PH	\$4,975			■				
Note: Stainless Steel Pump option requires matching HP/V/PH to Standard Cast Pump - please consider when placing orders									
<b>DEBRIS SCREEN INSERTS – Field Installed Only</b>									
8.915-143.0	Insert, 60 Mesh for Debris Screen Tray	\$141	■						
8.915-316.0	Insert, 60 Mesh for Debris Screen Tray	\$143		■	■				
8.749-395.0	Insert, 60 Mesh for Debris Screen Tray	\$154				■	■		
8.924-191.0	Insert, 60 Mesh for Debris Screen Tray	Call for pricing						■	■
<b>PARTS TREES – Field Installed Only</b>									
8.915-124.0	Parts Tree, 4 Hook	\$176	■	■	■				
8.749-396.0	Parts Tree, 4 Hook	\$224				■	■		
8.924-208.0	Parts Tree, 6 Hook	\$295							■
<b>PREFERRED OPTIONS PACKAGES – Field Installed Only</b>									
Includes: Parts Tree, Small Parts Basket, Oil-Drain Container & Containment Ring									
8.914-906.0	Preferred Options Package	\$387	■						
8.915-493.0	Preferred Options Package	\$392		■	■				
8.922-632.0	Preferred Options Package	\$395				■			
8.916-220.0	Preferred Options Package	\$432					■		■
<b>TIMERS – Field Installed Only</b>									
8.725-268.0	Timer, Heater & Skimmer 24 hour 7 day	\$671	■	■	■	■	■	■	■
8.725-267.0	Timer, Heater 24 hour 7 day	\$383	■	■	■	■	■	■	■
<b>DELUXE KITS – Field Installed Only - Kit Includes: Detail and Power Brush with Side Sink and Side Sump</b>									
8.901-881.0	Deluxe Kit (Field Installed)	\$1,378	■	■	■				
8.749-397.0	Deluxe Kit (Field Installed)	\$1,309				■	■		■
<b>TURNTABLE – Field Installed Only - Not for height extended machines</b>									
8.915-120.0	Two-Tier Turntable	\$1,185	■						
8.915-351.0	Two-Tier Turntable	\$1,164		■					
8.915-352.0	Two-Tier Turntable	\$1,283			■				
8.921-971.0	Two-Tier Turntable	\$1,597				■			
8.749-492.0	Two-Tier Turntable	\$2,085					■		
Note: Two-Tier Turntable option requires an additional extra small parts basket and containment ring sold separately - please consider when placing orders									
<b>MISCELLANEOUS – Field Installed Only</b>									
8.922-951.0	Kit, Stainless Steel Handle, new style, assembled (Camas only)	\$142	■	■	■	■	■		
8.924-172.0	Oil Drain Container	\$65	■	■	■	■	■	■	■
9.802-283.0	Hour Meter	\$46	■	■	■	■	■	■	■
8.731-254.0	Light Duty Small Parts Basket (8"x 8"x 4")	\$86	■	■	■	■	■	■	■
8.753-825.0	Light Duty Large Parts Basket (16"x 12"x 6")	\$137	■	■	■	■	■	■	■
Special Order	LID ONLY for Light Duty Small Parts Basket (8"x 8"x 4")	\$23	■	■	■	■	■		
8.915-585.0	PK-100D Sump Cleaner	\$4,041	■	■	■	■	■		
8.709-145.0	PK-100D Filter Bag	\$24	■	■	■	■	■		
8.707-034.0*	Evaporator Belt, Wastewater Drum (FOB Arkansas)	\$1,392	■	■	■	■	■		
8.723-214.0	Paint, Spray, APW Gray (FOB Arkansas, cannot ship air)	\$35	■	■	■	■	■		
8.923-974.0	Vertical Center Wash Bar	Call for pricing							■

\*NOTE: Cuda Dealer Discount on Evaporator Belt PN 8.707-034.0 is 30%.

TOP-LOAD  
TL OPTIONS  
FRONT-LOAD  
FL OPTIONS  
PARTS  
DETERGENTS  
SPECIALS

<b>COMMON PART NUMBERS:</b>	15 MIN TIMER - 87141630	12 HOUR TIMER - 87128330	CR1 RELAY - 87133480
	30 MIN TIMER - 87133570	NO REED - 98041180	RELAY BASE - 87133550
	60 MIN TIMER - 87128320	NC REED - 98041190	

TOP-LOAD

TL OPTIONS

FRONT-LOAD

FL OPTIONS

PARTS

DETERGENTS

SPECIALS

MODEL	V	PH	MFR P/N	TURNTABLE MOTOR	SKIMMER MOTOR	HEATING ELEMENT	PUMP	HEAT CONTACTOR	PUMP CONTACTOR	PUMP OVERLOAD	HEAT FUSE	PUMP FUSE
2216	115	1	10434510	87253710	89046760	87137230	87153950	87508640	87508640	N/A	87148360	N/A
2216	230	1	10434520	87253710	89046760	87128130	87153950	87142900	87508660	87508740	87133690	87149120
2216	208	1	10434530	87253710	89046760	87128130	87153950	87142900	87508660	87508740	87133690	87149120
2216	230	3	10434540	87253710	89046760	87139190	87153960	87508630	87508660	87508720	87132880	87138780
2216	460	3	10434550	87253710	89046760	87141710	87153960	87508640	87508660	87508710	87130660	87130640
2216	575	3	10434560	87253710	89046760	87144540	87153990	87508640	87508660	87508700	87135290	87130690
2216	208	3	10434570	87253710	89046760	87491520	87153960	87508630	87508660	87508720	87133690	87138780
2412	115	1	10433560	87253710	89046760	87140870	87153980	87508640	87508660	N/A	87148360	N/A
2412	208	1	10433790	87253710	89046760	87128130	87153980	87142900	87508660	N/A	87133690	87132870
2412	230	1	10433570	87253710	89046760	87128130	87153980	87142900	87508660	N/A	87133690	87132870
2518	230	1	10433420	87253710	89046760	87166460	87154130	87142900	87508630	87508750	87132910	87132930
2518	208	1	10433800	87253710	89046760	87144910	87154130	87142900	87508630	87508750	87144510	87132930
2518	230	3	10433430	87253710	89046760	87132530	87154140	87508640	87508640	87508740	87132880	87132870
2518	208	3	10433810	87253710	89046760	87145810	87154140	87508640	87508640	87508740	87133690	87132870
2518	460	3	10433440	87253710	89046760	87132540	87154140	87508640	87508640	87508720	87130660	87135290
2518	575	3	10433450	87253710	89046760	87133980	87154150	87508640	87508640	87508710	87135290	87137750
2530	230	1	10433720	87253710	89046760	87166460	87154130	87142900	87508630	87508750	87132910	87132930
2530	208	1	10433680	87253710	89046760	87144910	87154130	87142900	87508630	87508750	87144510	87132930
2530	230	3	10433650	87253710	89046760	87132530	87154140	87508640	87508640	87508740	87132880	87132870
2530	208	3	10433690	87253710	89046760	87145810	87154140	87508640	87508640	87508740	87133690	87132870
2530	460	3	10433660	87253710	89046760	87132540	87154140	87508640	87508640	87508720	87130660	87135290
2530	575	3	10433670	87253710	89046760	87133980	87154150	87508640	87508640	87508710	87135290	87135390
2840	230	1	10433950	87253710	89046760	87166460	87154130	87142900	87508630	87508750	87132910	87132930
2840	208	1	10434160	87253710	89046760	87144910	87154130	87142900	87508630	87508750	87144510	87132930
2840	230	3	10434180	87253710	89046760	87132530	87154140	87508640	87508640	87508740	87132880	87132870
2840	208	3	10434170	87253710	89046760	87145810	87154140	87508640	87508640	87508740	87133690	87132870
2840	460	3	10434190	87253710	89046760	87132540	87154140	87508640	87508640	87508720	87130660	87135290
2840	575	3	10434200	87253710	89046760	87133980	87154150	87508640	87508640	87508710	87135290	87135390
2848	230	1	10434220	87253710	89046760	87129540	87154210	87508670	87143940	87508760	87132940	87132840
2848	208	1	10434210	87253710	89046760	87491910	87491920	87508670	87143940	87508760	87132940	87132840
2848	230	3	10433940	87253710	89046760	87129540	87154220	87508670	87508640	87508750	87132910	87132930
2848	208	3	10434230	87253710	89046760	87491910	87154220	87508670	87508640	87508750	87132910	87132930
2848	460	3	10434240	87253710	89046760	87131790	87154220	87508640	87508640	87508730	87130630	87130670
2848	575	3	10434250	87253710	89046760	87131780	87154240	87508640	87508640	87508720	87130670	87130660
3648	230	3	10434770	87137300	89046760	87129540	87536930	87242760	87242810	87243040	87494320	89162790
3648	460	3	10434780	87137300	89046760	87131790	87536930	87242680	87242720	87243120	87495530	87495540
3648	575	3	10434790	87137300	89046760	87131780	87536940	87242680	87242720	87243030	87495550	87495560
4860	230	3	10434440	87137300	89046760	87129540	87350110	87508680	87508670	87508760	87494320	89162790
4860	460	3	10434450	87137300	89046760	87131790	87350110	87508670	87508640	87508740	87495530	87495540
4860	575	3	10434460	87137300	89046760	87131780	87495440	87508670	87508640	87508730	87495530	87495560
SJ-15	230	1	10434580	N/A	89046760	87166460	87154130	87508630	87508640	87508750	87132910	87132930
SJ-15	230	3	10434590	N/A	89046760	87132530	87154140	87508630	87508630	87508740	87132880	87132870
SJ-15	460	3	10434600	N/A	89046760	87132540	87154140	87508640	87508640	87508740	87130660	87135290
SJ-15	575	3	10434610	N/A	89046760	87144540	87154150	87508660	87508660	87508710	87135290	87135390
SJ-15	208	1	10434620	N/A	89046760	87148910	87154130	87508630	87508640	87508750	87144510	87132930
SJ-15	208	3	10434630	N/A	89046760	87145810	87154140	87508630	87508640	87508740	87133690	87132870
7248	230	3	10435160	87137300	89046760	87129540	87536930	87242760	87242810	87243040	87494320	89162790
7248	460	3	10435170	87137300	89046760	87131790	87536930	87242680	87242720	87243120	87495530	87495540
7248	575	3	10435180	87137300	89046760	87131780	87536940	87242680	87242720	87243030	87495550	87495560
7272	230	3	10435190	87137300	89046760	87129540	87536930	87242760	87242810	87243040	87494320	89162790
7272	460	3	10435200	87137300	89046760	87131790	87536930	87242680	87242720	87243120	87495530	87495540
7272	575	3	10435210	87137300	89046760	87131780	87536940	87242680	87242720	87243030	87495550	87495560

MODEL	V	PH	TRANSFORMER	PRIMARY FUSE	SECONDARY FUSE	TORQUE LIMITER	T-STAT	FLOATS	CHAINS	NOZZLES (QTY)
2216	115	1	N/A	87148360	N/A	87140080	87135930	87065180	87128580	87127750 (3)
2216	230	1	87168750	87132860	87130780	87140080	87135930	87065180	87128580	87128700 (2)
2216	208	1	87168950	87132860	87130780	87140080	87135930	87065180	87128580	87129730 (2)
2216	230	3	87168750	87132860	87130780	87140080	87130300	87065180	87128580	
2216	460	3	87168750	87130800	87130780	87140080	87130300	87065180	87128580	
2216	575	3	87139070	87130810	87130780	87140080	87130300	87065180	87128580	
2216	208	3	87168950	87132860	87130780	87140080	87130300	87065180	87128580	
2412	115	1	N/A	N/A	N/A	N/A	87135930	87142260	N/A	87127770 (5) 87142020 (3)
2412	208	1	87168950	87132860	87130780	N/A	87135930	87142260	N/A	87127770 (5) 87142020 (3)
2412	230	1	87168750	87132860	87130780	N/A	87135930	87142260	N/A	87127770 (5) 87142020 (3)
2518	230	1	87168750	87132860	87130780	87140080	87135930	87065180	87139560	87129730 (9)
2518	208	1	87168950	87132860	87130780	87140080	87135930	87065180	87139560	87129730 (9)
2518	230	3	87168750	87132860	87130780	87140080	87130300	87065180	87139560	87129730 (9)
2518	208	3	87168950	87132860	87130780	87140080	87130300	87065180	87139560	87129730 (9)
2518	460	3	87168750	87130800	87130780	87140080	87130300	87065180	87139560	87129730 (9)
2518	575	3	87139070	87130800	87130780	87140080	87130300	87065180	87139560	87129730 (9)
2530	230	1	87168750	87132860	87130780	87140080	87135930	87065180	87141510	87127750 (12)
2530	208	1	87168950	87132860	87130780	87140080	87135930	87065180	87141510	87127750 (12)
2530	230	3	87168750	87132860	87130780	87140080	87130300	87065180	87141510	87127750 (12)
2530	208	3	87168950	87132860	87130780	87140080	87130300	87065180	87141510	87127750 (12)
2530	460	3	87168750	87130800	87130780	87140080	87130300	87065180	87141510	87127750 (12)
2530	575	3	87139070	87130800	87130780	87140080	87130300	87065180	87141510	87127750 (12)
2840	230	1	87168750	87132860	87130780	87140080	87135930	87065180	87141500	87127750 (12)
2840	208	1	87168950	87132860	87130780	87140080	87135930	87065180	87141500	87127750 (12)
2840	230	3	87168750	87132860	87130780	87140080	87130300	87065180	87141500	87127750 (12)
2840	208	3	87168950	87132860	87130780	87140080	87130300	87065180	87141500	87127750 (12)
2840	460	3	87168750	87130800	87130780	87140080	87130300	87065180	87141500	87127750 (12)
2840	575	3	87139070	87130800	87130780	87140080	87130300	87065180	87141500	87127750 (12)
2848	230	1	87168750	87132860	87130780	87140080	87135930	87065180	87141500	87129730 (18) 87491930 (22)
2848	208	1	87168950	87132860	87130780	87140080	87135930	87065180	87141500	**87491930 is w/12" ext.**
2848	230	3	87168750	87132860	87130780	87140080	87130300	87065180	87141500	87129730 (18) 87491930 (22)
2848	208	3	87168950	87132860	87130780	87140080	87130300	87065180	87141500	**87491930 is w/12" ext.**
2848	460	3	87168750	87130800	87130780	87140080	87130300	87065180	87141500	87129730 (18) 87491930 (22)
2848	575	3	87139070	87130800	87130780	87140080	87130300	87065180	87141500	**87491930 is w/12" ext.**
3648	230	3	87139110	87139200	87135740	87140090	87135930	87121320	87537930	87129730 (21)
3648	460	3	87139110	87136860	87135740	87140090	87135930	87121320	87537930	87129730 (21)
3648	575	3	87141840	87136860	87135740	87140090	87135930	87121320	87537930	87129730 (21)
4860	230	3	87139110	87139200	87135740	87140090	87130300	87065180	87129880	87129730 (26)
4860	460	3	87139110	87136860	87135740	87140090	87130300	87065180	87129880	87129730 (26)
4860	575	3	87141840	87136860	87135740	87140090	87130300	87065180	87129880	87129730 (26)
SJ-15	230	1	87168750	87132860	87130780	N/A	98042950	87065180	N/A	87146800 (23)
SJ-15	230	3	87168750	87132860	87130780	N/A	98042950	87065180	N/A	87146800 (23)
SJ-15	460	3	87168750	87130800	87130780	N/A	98042950	87065180	N/A	87146800 (23)
SJ-15	575	3	87139070	87130800	87130780	N/A	98042950	87065180	N/A	87146800 (23)
SJ-15	208	1	87168950	87132860	87130780	N/A	98042950	87065180	N/A	87146800 (23)
SJ-15	208	3	87168950	87132860	87130780	N/A	98042950	87065180	N/A	87146800 (23)
7248	230		87139110	87139200	87135740	87538880	98042950	87121320	87539070	87129730 (26)
7248	460		87139110	87136860	87135740	87538880	98042950	87121320	87539070	87129730 (26)
7248	575		87141840	87136860	87135740	87538880	98042950	87121320	87539070	87129730 (26)
7272	230		87139110	87139200	87135740	87538880	98042950	87121320	87539070	87121930 (31)
7272	460		87139110	87136860	87135740	87538880	98042950	87121320	87539070	87121930 (31)
7272	575		87141840	87136860	87135740	87538880	98042950	87121320	87539070	87121930 (31)

TOP-LOAD  
TL OPTIONS  
FRONT-LOAD  
FL OPTIONS  
PARTS  
DETERGENTS  
SPECIALS

**GREEN POWER CHEMICAL Products are Safe, Biodegradable, & Effective in Hard and Soft Water.** Refer to **GREEN POWER** Detergent Product Sheet for Additional - Information.

**GREEN POWER NO-FOAM 6.5 GAL. 57 lb. PAIL \$7.95/LB.**

**GREEN POWER NO-FOAM** is a heavy duty all-purpose powder detergent quickly remove heavy greases, oils, dirt and carbon-based deposits from aluminum & steel. Contains a highly effective corrosion inhibitor protects parts from corrosion and flash-rusting. ALSO BUILT IN DEFOAMER so, you never have to buy separate DE-foamer!

**RECOMMENDED USES:**Automotive,Electrical components, Heavy Equipment and MTA TRANSIT & DOT vehicle overhaul parts degreasing.

**SPECIAL BUY 3 GET 4TH PAIL FREE**

**OC - DE-GREASER Soft Metal Liquid**

**Deep Cleaning for Soft Metal Parts**

**OC - De-Greaser** is a powerful detergent specifically formulated to penetrate difficult to remove rouge, buffing compounds, oil, grease, tar, carbon deposits and heavy soil on soft metal parts like aluminum, brass, copper, nickel etc.

**RECOMMENDED USES:**

Cleaning brass, aluminum, copper, steel, stainless steel and plastics as well as ferrous metals.

PART NO.	DESCRIPTION	SHIP WT	LIST PRICE
<b>GP-OC</b>	<b>5 gal.</b> , 40 lbs pail	42 lbs	<b>\$109</b>
<b>GP-OC</b>	<b>55gal.</b> 400 lbs <b>drum</b> ,	415 lbs	<b>\$1,087</b>

**Phosphatizer (liquid)**

A complete one-step detergent and phosphatizing system for cleaning metal parts and preparing them for painting.

**RECOMMENDED USES:**

Use on iron and steel, prep parts for painting.

PART NO.	DESCRIPTION	SHIP WT	LIST PRICE
<b>8.698-008.0</b>	Phosphatizer, 5 gal	51 lbs	<b>\$107</b>
<b>8.698-009.0</b>	Phosphatizer, 55 gal	543 lbs	<b>\$896</b>

**Defoamer (liquid)**

A fast-acting, biodegradable additive that suppresses foam build up in soak tanks and automatic parts washers.

**RECOMMENDED USES:**

Compatible with any metal, painted or plastic pieces that can be cleaned in a parts washer.

PART NO.	DESCRIPTION	SHIP WT	LIST PRICE
<b>8.725-996.0</b>	Defoamer, 4 x 1-gal case	36 lbs	<b>\$260</b>
<b>8.698-007.0</b>	Defoamer, 5 gal	51 lbs	<b>\$220</b>
<b>8.698-012.0</b>	Defoamer, 55 gal	520 lbs	<b>\$2,226</b>

**LRL-1000 Low Residue Liquid Critical Cleaner**

**Effective Cleaning with a Low Residue Finish**

LRL-1000 effectively removes contaminants and leaves the part's surface ready for assembly, paint, and applications where a fine finish is required. Phosphate-free and biodegradable, this detergent is optimized to remove cutting oils, grease, and moderate soil loads and can be used on a wide variety of materials including iron, steel, stainless steel, aluminum, brass, copper and plastic parts.

**RECOMMENDED USES:**

Manufacturing, aerospace, re-manufacturing, final cleaning.

PART NO.	DESCRIPTION	SHIP WT	LIST PRICE
<b>8.698-096.0</b>	LRL-1000, 5 gal	46 lbs	<b>\$142</b>
<b>8.698-097.0</b>	LRL-1000, 55 gal	513 lbs	<b>\$1,357</b>

**GREEN POWER 001 Manual Parts Washer Detergent**

is a biodegradable, water-based powdered detergent formulated to remove greases, oils, grime, mold and pitch can be used on most surfaces, steel, stainless steel, aluminum, copper and plastics. Low-cost disposal and peace of mind that it's environmentally friendly

#001, 6 gal. PAIL 57 lbs **\$6.95/LB**

**RECOMMENDED USES:**

Industries using manual parts washer or aqueous parts soak sinks, pressure washers and floor scrubbers. For Floor Scrubbers and pressure washers, add 20 lbs. to a 55 gal. drum for ready to use super concentrate

**Paint and Powder Coat Remover (liquid)**

A fully biodegradable alkaline stripper, quickly and effectively dissolves all types of paint and powder coatings.

**RECOMMENDED USES:**

Removes paint from iron and steel, not intended for use on aluminum, magnesium or galvanized metals.

PART NO.	DESCRIPTION	SHIP WT	LIST PRICE
<b>8.905-720.0</b>	Paint & Powder Coat Remover, 5 gal	51 lbs	<b>\$119</b>

**Vapor Corrosion Inhibitor VCI (liquid)**

A superior blend of rust and corrosion inhibitors that give outstanding protection in both the liquid and vapor phase.

**RECOMMENDED USES:**

Protects steel and prevents rust and corrosion in automatic parts washers and the metal parts being cleaned.

PART NO.	DESCRIPTION	SHIP WT	LIST PRICE
<b>8.905-704.0</b>	Vapor Corrosion Inhibitor, 4 x 1-gal case	36 lbs	<b>\$119</b>
<b>8.905-705.0</b>	Vapor Corrosion Inhibitor, 5 gal	46 lbs	<b>\$142</b>
<b>8.905-706.0</b>	Vapor Corrosion Inhibitor, 55-gal	493 lbs	<b>\$922</b>

**Detergent Scoop**

PN 8.712-896.0 **\$3.91**

**GREEN POWER AND OC-DE-GREASER ARE GREEN POWER CHEMICAL TRADE MARKS**

**GREEN POWER CHEMICAL CAN CUSTOM FORMULATE CLEANER/DEGREASERS FOR ALL YOUR NEEDS SUCH AS : GREEN NON TOXIC ASPHALT ROAD EQUIPMENT TAR REMOVER AND TRUCK BED SPRAY RELEASE FOR EASY CLEAN-UP OF: ASPHALT TRUCK BEDS AND ROAD RAKES AND TOOLS**

TOP-LOAD

TL OPTIONS

FRONT-LOAD

FL OPTIONS

PARTS

DETERGENTS

SPECIALS

### Cuda offers the following Standard Specials as our most commonly ordered upgrades.

These Standard Special machines are processed through our Specials department and do not require a Specials Request Quote Form. However, if you are ordering a Specials machine not listed in this Standard Specials section, you will need to fill out a Specials Request Quote Form, found on the Cuda distributor website - <http://distributor.cudaUSA.com>.

**NOTE:** Extended lead time may apply on any Specials order.

### TOP-LOAD AUTOMATIC PARTS WASHERS

#### 2412 SERIES



*Shown with options*

The **2412 Series** is an attractive entry-level top-load aqueous parts washer. While boasting Cuda Series durability, it has a flush sealed pump available in 1 HP and 2 HP Special Upgrade models, and an upper drive arm that rotates the turntable. The 115V models make the 2412 especially versatile for use anywhere in the shop.

#### 1 HP UPGRADE MODELS

SPECIALS ORDER NUMBER	WORKING HEIGHT	TURNTABLE DIAMETER	VOLT/PH	TOTAL AMPS	ELECTRIC HEATER (kW)	SHIP WT (LBS)	LIST PRICE
CP2412-1-D	12"	24"	115/1	13	2	424	<b>\$6,480</b>
CP2412-1-G	12"	24"	208/1	30	4.5	424	<b>\$6,745</b>
CP2412-1-A	12"	24"	230/1	28	4.5	424	<b>\$6,745</b>
CP2412-1-B	12"	24"	230/3	20	6	424	<b>\$7,480</b>
CP2412-1-H	12"	24"	208/3	21	6	424	<b>\$7,480</b>
CP2412-1-C	12"	24"	460/3	10	6	424	<b>\$7,595</b>
CP2412-1-F	12"	24"	575/3	8	6	424	<b>\$7,595</b>

#### 2 HP UPGRADE MODELS

SPECIALS ORDER NUMBER	WORKING HEIGHT	TURNTABLE DIAMETER	VOLT/PH	TOTAL AMPS	ELECTRIC HEATER (kW)	SHIP WT (LBS)	LIST PRICE
CP2412-2-G	12"		208/1	31.4	4.5	424	<b>\$7,630</b>
CP2412-2-A	12"	24"	230/1	28.7	4.5	424	<b>\$7,295</b>
CP2412-2-B	12"	24"	230/3	18.2	4.5	424	<b>\$7,980</b>

*Close Coupled Sealed Pump:*

- |            |            |
|------------|------------|
| <b>1HP</b> | <b>2HP</b> |
| • 28 GPM   | • 32 GPM   |
| • 30 PSI   | • 40 PSI   |

- 250 Lbs. Load Capacity
- Automatic Oil Skimmer standard
- 25 Gal. Sump Capacity
- Low Water Shutdown standard

#### 2216 SERIES



*Shown with options*

The **2216 Series** is a compact top-load automatic, aqueous parts washer with 22" turntable and 16" work height that fits most commercial applications. The 2216 is standard equipped with casters.

#### 2 HP UPGRADE MODELS

SPECIALS ORDER NUMBER	WORKING HEIGHT	TURNTABLE DIAMETER	VOLT/PH	TOTAL AMPS	ELECTRIC HEATER (kW)	SHIP WT (LBS)	LIST PRICE
CP2216-2-G	16"	22"	208/1	31.4	4.5	616	<b>\$7,415</b>
CP2216-2-H	16"	22"	208/3	30.6	6	616	<b>\$8,005</b>
CP2216-2-A	16"	22"	230/1	35.2	4.5	616	<b>\$7,480</b>
CP2216-2-B	16"	22"	230/3	20.8	6	616	<b>\$7,855</b>
CP2216-2-C	16"	22"	460/3	10.3	6	616	<b>\$8,145</b>

- Close Coupled Sealed Pump
  - 2 HP
  - 32 GPM
  - 40 PSI
- 500 Lbs. Load Capacity
- 23 Gal. Sump Capacity
- Automatic Oil Skimmer standard
- Low Water Shutdown standard

TOP-LOAD

**FRONT-LOAD AUTOMATIC PARTS WASHERS**

TL OPTIONS

**2530 SERIES**



*Shown with options*

- Vertical / Seal-less Pump
  - 5 HP
  - 110 GPM
  - 50 PSI
- 500 Lbs. Load Capacity
- 40 Gal. Sump Capacity
- 9 kW Heater
- Automatic Oil Skimmer standard
- Low Water Shutdown standard

**5 HP & 9KW HEATER UPGRADE MODELS**

SPECIALS ORDER NUMBER	WORKING HEIGHT	TURNTABLE DIAMETER	VOLT/PH	TOTAL AMPS	SHIP WT (LBS)	LIST PRICE
CP-2530-5-G	30"	25"	208/1	66.2	985	<b>\$11,890</b>
CP-2530-5-H	30"	25"	208/3	38.5	985	<b>\$12,390</b>
CP-2530-5-A	30"	25"	230/1	60.1	985	<b>\$11,970</b>
CP-2530-5-B	30"	25"	230/3	34.8	985	<b>\$12,390</b>
CP-2530-5-C	30"	25"	460/3	16.4	985	<b>\$12,390</b>
CP-2530-5-F	30"	25"	575/3	14.0	985	<b>\$13,560</b>

FRONT-LOAD

**2530 SERIES**



*Shown with options*

- Vertical / Seal-less Pump
  - 3 HP
  - 50 GPM
  - 45 PSI
- 500 Lbs. Load Capacity
- 40 Gal. Sump Capacity
- 9 kW Heater
- Automatic Oil Skimmer standard
- Low Water Shutdown standard

**9KW HEATER UPGRADE MODELS**

SPECIALS ORDER NUMBER	WORKING HEIGHT	TURNTABLE DIAMETER	VOLT/PH	TOTAL AMPS	SHIP WT (LBS)	LIST PRICE
CP-2530-9-G	30"	25"	208/1	57.2	985	<b>\$10,640</b>
CP-2530-9-H	30"	25"	208/3	33.5	985	<b>\$11,270</b>
CP-2530-9-A	30"	25"	230/1	52.3	985	<b>\$10,730</b>
CP-2530-9-B	30"	25"	230/3	30.2	985	<b>\$11,270</b>
CP-2530-9-C	30"	25"	460/3	14.4	985	<b>\$11,270</b>
CP-2530-9-F	30"	25"	575/3	12.0	985	<b>\$12,365</b>

FL OPTIONS

PARTS

**2840 SERIES**



*Shown with options*

- Vertical / Seal-less Pump
  - 50 GPM
  - 45 PSI
- Models with 5HP Upgrade
  - 110 GPM
  - 50 PSI
- 1000 Lbs. Load Capacity\*
- 50 Gal. Sump Capacity
- 9 kW Heater
- Automatic Oil Skimmer standard
- Low Water Shutdown standard

\*Load capacity was determined with even weight distribution.

**5 HP & 9KW HEATER UPGRADE MODELS**

SPECIALS ORDER NUMBER	WORKING HEIGHT	TURNTABLE DIAMETER	VOLT/PH	TOTAL AMPS	SHIP WT (LBS)	LIST PRICE
CP-2840-5-G	40"	28"	208/1	66.2	1100	<b>\$13,385</b>
CP-2840-5-H	40"	28"	208/3	38.5	1100	<b>\$13,880</b>
CP-2840-5-A	40"	28"	230/1	60.1	1100	<b>\$13,510</b>
CP-2840-5-B	40"	28"	230/3	34.8	1100	<b>\$13,880</b>
CP-2840-5-C	40"	28"	460/3	16.4	1100	<b>\$13,880</b>
CP-2840-5-F	40"	28"	575/3	14.0	1100	<b>\$15,040</b>

**9KW HEATER UPGRADE MODELS**

SPECIALS ORDER NUMBER	WORKING HEIGHT	TURNTABLE DIAMETER	VOLT/PH	TOTAL AMPS	SHIP WT (LBS)	LIST PRICE
CP-2840-9-G	40"	28"	208/1	57.2	1100	<b>\$12,180</b>
CP-2840-9-H	40"	28"	208/3	33.5	1100	<b>\$12,800</b>
CP-2840-9-A	40"	28"	230/1	52.3	1100	<b>\$12,315</b>
CP-2840-9-B	40"	28"	230/3	30.2	1100	<b>\$12,800</b>
CP-2840-9-C	40"	28"	460/3	14.4	1100	<b>\$12,800</b>
CP-2840-9-F	40"	28"	575/3	12.0	1100	<b>\$13,880</b>

DETERGENTS

SPECIALS

### 2848 SERIES

- Vertical / Seal-less Pump
  - 7.5 HP
  - 200 GPM
  - 50 PSI
- 1000 Lbs. Load Capacity\*
- 50 Gal. Sump Capacity
- 9 kW Heater
- Automatic Oil Skimmer standard
- Low Water Shutdown standard
- Optional 12" Height Extension



Shown with options

\*Load capacity was determined with even weight distribution.

### 7.5 HP UPGRADE MODELS

SPECIALS ORDER NUMBER	WORKING HEIGHT	TURNTABLE DIAMETER	VOLT/PH	TOTAL AMPS	SHIP WT (LBS)	LIST PRICE
CP-2848-7.5-B	48"	28"	230/3	43.6	1065	\$15,380
CP-2848-7.5-C	48"	28"	460/3	20.7	1065	\$15,380
CP-2848-7.5-F	48"	28"	575/3	16.5	1065	\$17,500

## ACCESSORIES FACTORY INSTALLED

### FACTORY INSTALLED FILTRATION SYSTEMS - TOP LOAD

SPECIALS ORDER NUMBER	DESCRIPTION	2412	2216	2518	SJ-15	LIST PRICE
CF-2412	Filtration	■				\$1,605
CF-2518	Filtration			■		\$3,170
CF-2518A	Filtration & Sump Sweep			■		\$3,775

Note: Shipped as assemblies, not attached to machine.

### FACTORY INSTALLED FILTRATION SYSTEMS - FRONT LOAD

SPECIALS ORDER NUMBER	DESCRIPTION	2530	2840	2848	3648	4680	7248 & 7272	LIST PRICE
CF-2530	Filtration	■						\$3,070
CF-2530A	Filtration & Sump Sweep	■						\$3,670
CF-2840	Filtration		■					\$3,070
CF-2840A	Filtration & Sump Sweep		■					\$3,670
CF-2848	Filtration			■				\$3,070
CF-2848A	Filtration & Sump Sweep			■				\$3,670
CF-3648A	Filtration & Sump Sweep				■			\$7,120
CF-4860	Filtration					■		\$5,380
CF-4860A	Filtration & Sump Sweep					■		\$7,770
CF-72XXA	Filtration & Sump Sweep						■	Call


Note: Shipped as assemblies, not attached to machine.

### FACTORY INSTALLED TWO TIER TURNTABLE


SPECIALS ORDER NUMBER	DESCRIPTION	2530	2840	2848	3648	4680	LIST PRICE
CT-2530	Two Tier Turntable	■					\$1,520
CT-2840	Two Tier Turntable		■				\$1,550
CT-2848	Two Tier Turntable			■			\$1,660
CT-3640	Two Tier Turntable				■		\$1,980
CT-4860	Two Tier Turntable					■	\$2,470

### FACTORY INSTALLED DELUXE KITS (FRONT LOAD)


SPECIALS ORDER NUMBER	DESCRIPTION	2530	2840	2848	4680	LIST PRICE
CD-2000	Deluxe Kit	■	■	■		\$1,830
CD-4000	Two Tier Turntable				■	\$1,760



Filtration with Sump Sweep



Two Tier Turntable



Deluxe Kit: detail and power brush, side sink and side sump

TOP-LOAD

TL OPTIONS

FRONT-LOAD

FL OPTIONS

PARTS

DETERGENTS

SPECIALS







**CUDA**<sup>®</sup>  
AQUEOUS PARTS WASHERS



GREEN POWER CHEMICAL

**800-932-9371**

[www.greenpowerchemical.com](http://www.greenpowerchemical.com)

151 Sparta-Stanhope Road  
Hopatcong, New Jersey 07843

PO BOX 507  
STANHOPE, NJ 07874

P/N 8.930-102.0 • Revised 01/09/16 • ©2016 Cuda Parts Washers  
Specifications, product descriptions, features & options subject to change without notice.